





The Roto wheelbarrows are suitable for use in the stable, yard or large garden. Each wheelbarrow is fitted with a galvanised metal frame and polyethylene tray. Due to the two pneumatic wheels its allows superior maneuverability and smooth handling. The wheelbarrows are tough and durable but lightweight in use, even with heavy loads.


Tipping wheelbarrows are fitted with a galvanised metal frame and polyethylene tray. Due to the two pneumatic wheels its allows superior maneuverability and smooth handling. The tipping wheelbarrows are tough and durable but lightweight in use, even with heavy loads. Due to the tipping mechanism is allows the wheelbarrow to be unloaded with ease.

The large **polyethylene tray** allows you to load up large volumes of hay, grass and bulk materials from your farm, yard or garden and maneuver around with ease.

The construction and material used in our wheelbarrows gives the frame and tray extra durability and strength for longevity.

The Roto **2 wheeled wheelbarrow** is ideal for loading up large amounts of food from your farm or yard. Due to the galvanised frame and polyethene tray this wheelbarrow is very durable and built for longevity. The Roto wheelbarrow is superbly balanced due to the 2 wheels making them ideal for maneuvering heavy loads.

The Roto **silo** is intended to store feeding stu, grain, briquettes etc. It is constructed in one piece polyethylene, which allows the silo to easily support the weight of stored material.





Families of products: same design and

different size



Very light and easy to handle



Shock resistant



Ecological: non toxic and recyclable



Produced according the **EU standards**



Weather proof and UV rays resistant



LIPICA in Slovenia is the oldest European stud farm continuously breeding one of the oldest cultural horse breeds. As such it has a remarkable significance as a cultural, historical and natural heritage for Slovenia and Europe. The history of Lipica is closely intertwined with the Habsburgs and the time when horse was considered an ideal and was at the time a crucial strategic advantage. The Lipica story begins in the 16th century when the abandoned summer residence became the court stud farm. Lipica is very famous by dressage, horse-riding, carriage-drawing and other equestrian disciplines. Visit Slovenia and discover Lipica (**www.lipica.org**).

LS1 **6** EQ1 **4** LV1 **5** TNT1 **7** LS2 **10** EQ28 LV2 **9** TNT2 11 MPK **15** MFK 260 **12** MFK 350 **13** FKK **14** MOTO **19** FKT 330 **17** FKT **18** MTT **16** Tray **20** Tray **21** Wheel 22 Frame 22



Cavaleti wood **23**



Silo **27**



Cavaleti 24



Hay rack 28



Mounting step **25**



Water tank **29**



Hay ball 26



Manger 30









EQ1 wheelbarrow







ROTO EQ and ES wheelbarrows are designed with two Pneumatic wheels 4.0-4.8 with plastic rims, galvanized frame and large polyethylene tray in capacity of 200 and 350 litre. Wheelbarrow Roto EQ are made with slightly pointed design towards the front. The shape allows to tip the contents out easier, making the wheelbarrow easier to unload.



EQ1-200



ES1-200



Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
EQ1-200 L	galvanized	2100066480	3830050779604	$1660 \times 800 \times 830$	10	4.0-4.8
ES1-200 L	galvanized	2100066488		$1660 \times 800 \times 830$	10	4.0-4.8







LV1 wheelbarrow







ROTO LV1 are well-known ROTO one-wheelbarrows in the agriculture. The wheelbarrow is avaliable with painted or galvanized frame with two pneumatic wheels 4.0-4.8 and plastic rims. The trays are made of Polyethylene in capacity from 40 to 500 litre. Wheelbarrows are very convenient to use and will make your work and transporting heavy material much easier.



Volume [L]	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
LV1-40 L	galvanized	2100092430	3831116118832	$1090\times480\times470$	60	3.0/4.0
LV1-80 L	galvanized	2100066980	3831116103982	1500 × 560 × 740	15	4.0/4.8
LV1-120 L	galvanized	2100064000	3830010982389	$1500 \times 750 \times 750$	15	4.0/4.8
LV1-200 L	galvanized	2100066270	3831116108277	1560 × 760 × 840	15	4.0/4.8
LV1-300 L	galvanized	2100065260	3830050774081	1600 × 770 × 880	10	4.0/4.8







LS1 wheelbarrow







ROTO LS1 wheelbarrows are with one pneumatic wheels 4.0-4.8 and plastic rims. Unassembled version is delivered in cardboard box, which are suitable to send per courier like TNT, DHL, GLS, DPD etc. They are easy to assembly at home. Wheelbarrows are very convenient to use and will make your work and transporting heavy material much easier.



LS1-200







Volume [L]	Frame	Code	Size [mm]	PCS/pallet	Wheel
LS1-40 L	galvanized	2100092438	$1090\times480\times470$	60	3.0/4.0
LS1-60 L	galvanized	2100064718	$1500 \times 570 \times 620$	15	4.0/4.8
LS1-80 L	galvanized	2100066988	$1500 \times 560 \times 740$	15	4.0/4.8
LS1-120 L	galvanized	2100064008	$1500 \times 750 \times 750$	15	4.0/4.8
LS1-200 L	galvanized	2100066278	1560 × 760 × 840	15	4.0/4.8
LS1-300 L	galvanized	2100065268	1600 × 770 × 880	10	4.0/4.8







TNT1 wheelbarrow







ROTO TNT wheelbarrows are with one pneumatic wheels 4.0-4.8 and plastic rims. Unassembled version is delivered in cardboard box, which are suitable to send per courier like TNT, DHL, GLS, DPD etc. They are easy to assembly at home. Wheelbarrows are very convenient to use and will make your work and transporting heavy material much easier.





TNT1-200



更多	,
Wheel	

Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
TNT1-120 L	galvanized	2100069280	3831116113530	$1550 \times 750 \times 650$	5	4.0-4.8
TNT1-200 L	galvanized	2100066240	3831116116364	$1550 \times 760 \times 760$	5	4.0-4.8





EQ2 wheelbarrow







ROTO EQ wheelbarrows are designed with two Pneumatic wheels 4.0-4.8 with plastic rims, galvanized frame and large polyethylene tray in capacity of 200 and 350 litre. Wheelbarrow Roto EQ are made with slightly pointed design towards the front. The shape allows to tip the contents out easier, making the wheelbarrow easier to unload.



Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
EQ2-200 L	galvanized	2100066490	3830050779611	$1660 \times 800 \times 860$	10	4.0-4.8
EQ2-350 L	galvanized	2100066390	3830050779628	1710 × 880 × 890	10	4.0-4.8
ES2-200 L	galvanized	2100066498		1660 × 800 × 860	10	4.0-4.8







LV2 wheelbarrow





ROTO LV2 wheelbarrow are designed with two Pneumatic wheels 4.0-4.8 with plastic rims. LV2 is the ideal piece of equipment for any heavy duty applications, bringing a hard wearing quality and unrivalled durability, as well as a huge capacity that makes this piece extremely useful.

- The wheelbarrow is fitted with twin grey 4-ply pneumatic wheels or puncture proof wheels.
- Lightweight even with heavy loads due to the centralized wheels.
- Bumper bar at the front to help protect the wheelbarrow.
- Delivers superior maneuverability and smooth handling.
- Lightweight, even with heavy loads, reducing the physical strain of the user.



Volume [L]	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
LV2-180 L	galvanized	2100064790	3830050771608	1600 × 800 × 920	15	4.0-4.8
LV2-200 L	galvanized	2100066280	3831116108284	1600 × 760 × 900	15	4.0-4.8
LV2-250 L	galvanized	2100066430	3830050778645	1700 × 830 × 820	10	4.0-4.8
LV2-300 L, wave	galvanized	2100065270	3830050774098	1650 × 770 × 940	10	4.0-4.8
LV2-300 L	galvanized	2100067600	3831116150603	1740 × 940 × 920	10	4.0-4.8
LV2-350 L	galvanized	2100066450	3830050778669	1700 × 860 × 880	10	4.0-4.8
LV2-400 L	galvanized	2100067670	3831116150634	1770 × 980 × 900	10	4.0-4.8








LS2 wheelbarrow





ROTO LS2 wheelbarrow is light and has an excellent center of gravity, which makes it very easy and practical to use. With little effort, you can easily transport heavy loads without the wheelbarrow tipping over. For transport, two plastic handles ensure safe handling with the wheelbarrow as well as an air wheel, which is equipped with a metal axle.









Volume [L]	Frame	Code	Size [mm]	PCS/pallet	Wheel
LS2-180 L	galvanized	2100064798	$1600\times800\times920$	15	4.0-4.8
LS2-200 L	galvanized	2100066288	1600 × 760 × 900	15	4.0-4.8
LS2-250 L	galvanized	2100066438	1700 × 830 × 820	10	4.0-4.8
LS2-300 L, wave	galvanized	2100065278	1650 × 770 × 940	10	4.0-4.8
LS2-300 L	galvanized	2100067608	1740 × 940 × 920	10	4.0-4.8
LS2-350 L	galvanized	2100066458	1700 × 860 × 880	10	4.0-4.8
LS2-400 L	galvanized	2100067678	1770 × 980 × 900	10	4.0-4.8







TNT2 wheelbarrow







ROTO TNT2 wheelbarrow is light and has an excellent center of gravity, which makes it very easy and practical to use. With little effort, you can easily transport heavy loads without the wheelbarrow tipping over. For transport, two plastic handles ensure safe handling with the wheelbarrow as well as an air wheel, which is equipped with a metal axle. In addition, a metal support stabilizes the plastic tray.





TNT2-200





Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
TNT2-120 L	galvanized	2100064030	3830010989388	$1550 \times 750 \times 650$	5	4.0-4.8
TNT2-200 L	galvanized	2100066220	3831116117392	1550 × 760 × 760	5	4.0-4.8





MFK tipping wheelbarrow





ROTO MFK are tipping wheelbarrow which are fitted with a powder coated frame to stop it from rusting, large Polyethylene tray and two pneumatic wheels 4.0-4.8 with metal rims to deliver superior maneuverability and smooth handling. By gently pulling backwards and lifting the frame the tray folds back into the frame.



Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
MFK-260 L	painted	2100067800	3831116100776	$1730\times800\times760$	7	4.0-4.8







MFK tipping wheelbarrow





ROTO MFK are tipping wheelbarrow which are fitted with a powder coated frame to stop it from rusting, large Polyethylene tray and two pneumatic wheels 4.0-4.8 to deliver superior maneuverability and smooth handling. Stable high elastic wheels Ø125mm protect the front rim and enable transport on flat, smooths ground with tilted application. The front rim is amplified with a 1" steel pipe for dumping.







MFK-350

Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
MFK-350 L	painted	2100067700	3831116112762	$1770\times880\times910$	7	4.0-4.8





FKK tipping wheelbarrow







ROTO FKK Tipping Equestrian Wheelbarrow is perfect for all your jobs around the yard and stable. The tipping body has a hot dipped galvanized metal frame and two pneumatic wheels to deliver superior maneuverability and smooth handling. It is tough, durable and surprisingly lightweight in use, even with heavy loads, due to the wheels being central.

The massive Polyethylene tray allows you to load up huge volumes of hay, food and waste in your farm. Made of strong, durable polyethylene – with a wall thickness of 3-6 mm - it is built to last. Completely resistant to UV and frost, it will remain in tiptop condition through all weathers. Shock-resistant and simple to clean.

Large capacity makes it ideal for efficiently cleaning out straw from sheds or stables. Suitable also for transporting your newborn calves and other small animals. Lightweight, even with heavy loads, reducing the physical strain of the user.



FKK-250 FKK-300 FKK-350 FKK-400 FKK-500


Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
FKK-250 L	galvanized	2100067830	3831116102183	$1810 \times 910 \times 780$	7	4.0-4.8
FKK-300 L, wave	galvanized	2100067940	3831116104668	$1820\times800\times900$	7	4.0-4.8
FKK-300 L	galvanized	2100067650	3831116150610	1960 × 980 × 920	7	4.0-4.8
FKK-350 L	galvanized	2100067850	3831116102206	1770 × 910 × 830	7	4.0-4.8
FKK-400 L	galvanized	2100067680	3831116150641	1960 × 940 × 870	7	4.0-4.8
FKK-500 L	galvanized	2100067930	3831116102503	1800 × 900 × 1000	7	4.0-4.8







MPK tipping wheelbarrow





ROTO MPK Twin Wheel Tipping Wheelbarrow is perfect all-rounder for the Equestrian Centre and Large Garden. The tray is placed low to the ground, so when loading you do not have to lift the heavy loads so high.

The large polyethylene tray allows you to load up massive quantities of hay, logs, manure and garden waste. Made of strong, durable polyethylene – with a wall thickness of 3-6 mm - it is built to last. Completely resistant to UV and frost, it will remain in tiptop condition through all weathers. Shock-resistant and simple to clean.

The tipping body has a hot dipped galvanized metal frame and two pneumatic wheels to deliver superior maneuverability and smooth handling. It is tough, durable and surprisingly lightweight in use, even with heavy loads. The front rim is amplified with a 1" steel pipe for extra protection while dumping heavier loads.



MPK-250 MPK-300 MPK-350 MPK-400

Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
MPK-250 L	galvanized	2100069250	3831116113509	$1800\times900\times760$	10	4.0-4.8
MPK-300 L	galvanized	2100067660	3831116150627	$1850 \times 940 \times 840$	10	4.0-4.8
MPK-350 L	galvanized	2100069270	3831116113523	$1800\times900\times800$	10	4.0-4.8
MPK-400 L	galvanized	2100067690	3831116150658	1900 × 980 × 880	10	4.0-4.8





MTT tipping trailer





COUPLING BALL

PIN

ROTO MTT trailer are perfect for the equestrian yard, farm or large garden as they are robust and built to last. The rotomoulded polyethylene trays have been tested to extreme temperatures and proven to be resistant to UV and frost, so will remain in tiptop condition through all weathers. Shock-resistant and simple to clean, you will not have to worry about the tray becoming brittle or cracking. It allows you to tip the trailer while being connected to your quad or tractor lawn mower, just by releasing a pin. Just back the trailer up to your dumping spot, release the pin and tip the trailer - nice and easy.

- Powder coated frame to stop it from rusting
- Bowl fold function dump.
- · Articulated drawbar coupling ball or pin
- Pneumatic wheels 600-6 with robust axle and roller bearings. Maximum used 25 km/h.
- Usage: in the farm for the machines which do not go by the high way



MTT-300 max. load 250 kg



MTT-500 max. load 400 kg

Product	Frame	Code	EAN Code	Size [mm]	Wheel
MTT-300 L with coupling ball connector	painted	2100067540	3831116116371	$1670 \times 770 \times 910$	600-6
MTT-300 L with PIN connector	painted	2101567540	3831116128398	$1670 \times 770 \times 910$	600-6
MTT-500 L with coupling ball connector	painted	2100067520	3831116112991	2100 × 900 × 1000	600-6







Food storage CONTAINER

Material:

- Made of sturdy, UV-resistant polyethylene.
- Polyethylene is temperature resistant and corrosion resistant
- Long service life polyethylene
- Wall thickness: 3-6 mm
- Weight: approx. 12 kg

FOOD STORAGE CONTAINER protects your horse's feed

- The container has an opening so that even a full food container can be moved with a standard forklift.
- Easy-open lid has a lockable latch.
- A safety feature is the rounded edges to prevent injury
- Food containers are stackable during storage.
- After use, the food container can be 100% recycled.

Colors:











330 L

FKT-330 L

Product	Code	EAN	Size [mm]	Wheel
Hay feeder 200 L	2100061248	3831116141632	$900 \times 700 \times 540$	-
Food storage container 330 L	2100077381	3831116122525	$1150 \times 860 \times 610$	-
FKT trailer 330 L with cover, galvanized frame	2100067790	3831116143506	1600 × 900 × 840	4.0-4.8





TRIPLE feed barrow







TRIPLE FEED BARROW are very robust thanks to their metallic chassis and strong trays. The Roto FKT-trailers with 3 wheels (1 solid rubber tire Ø200 with deflection roller) and with a massive tub are ideal to load up huge volumes of food in your farm. Fitted with a swivel wheel makes Roto FKT Trailers excellent for manoeuvrability and control.



Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
FKT-250 L	galvanized	2100067860	3831196102213	$1450 \times 910 \times 660$	7	4.0-4.8
FKT-300 L	galvanized	2100067870	3831116102220	1500 × 910 × 750	7	4.0-4.8
FKT-350 L	galvanized	2100067880	3831116102237	$1550 \times 910 \times 700$	7	4.0-4.8
FKT-500 L	galvanized	2100067890	3831116102466	1700 × 910 × 900	7	4.0-4.8







MOTO barrow classic







MOTO BARROW through having its leading wheel driven by an electric motor is ideal for carrying heavy or bulky material. It functions perfectly well in numerous domestic and industrial conditions, it will work well in difficult terrain including up or down hill slopes. Motobarrow makes load manipulation much easier than standard wheel barrow's, its 12 volt lead battery is safe to use with no danger of electrical spillage. Operation comfortably and safely thanks to the control element on the right handle. Moto barrow is perfect for work around a house, yard, garden, farm, construction or industry and especially in the forest.





MOTO-200 max. load 150 kg



max. load 400 kg

Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
MOTO-120 L	painted	2100066970	3831116103999	$1650 \times 820 \times 750$	10	4.0-4.8
MOTO-200 L	painted	2100066960	3831116104002	1500 × 730 × 620	10	4.0-4.8
MOTO-500 L, jumbo double	painted	2100069260	3831116113516	2300 × 970 × 900	2	4.0-4.8
Charger for baterry	-	2100090110	-	-	-	-

Charger is not part of shipment and is necessary to order that separately. It is possible use a good car-charger to 12 V







TRAY for wheelbarrow


The plastic trays are perfect for the equestrian environment as, unlike metal trays, they are not affected by toxins and are easy to clean. Made of strong, durable polyethylene – with a wall thickness of 4.8-5.6mm - it is built to last. Completely resistant to UV and frost, it will remain in tiptop condition through all weathers. Shock-resistant and simple to clean.

Advantages of Polyethylene trays:

- Lightweight
- Easy in use and self assembly
- Simple to clean
- Durable (wall thickness 3-6 mm)

- Stabilized against UV rays and frost
- 100% recycle after use
- high quality

Colors:



* wooden box pallet - load 2x more









SPARE PARTS





Code: **1292020** Wheel **4.0/4.8, PU** Rim **metal**




Code: **1292018**Wheel **4.0/4.8 (red)**Rim **metal**





TNT wheel Code: 1292021 Wheel 4.0/4.8 (grey) Rim plastic





Code: 1292016 Wheel 3.5 Rim plastic Code: 1292017 Wheel 4.0/4.8 (grey) Rim plastic

WOODEN TRANSPORT BOX

Product	Size [mm]	Code
Wooden pallet	$1200\times800\times150$	2900003
Frame for wooden pallet	1200 × 800 × 200	2900004
Cover for wooden pallet	$1200\times800\times50$	2900005







CAVALETTI BLOCK wood imitation





CAVALETI BLOCK it's a high quality product made from polyethylene with options to put tubes barriers on each sides excellent for building cavaletties, training jumps, parallels, cross poles and ground lines. They are designed to use singly or stacked. Made from polyethylene, tested to extreme temperatures (-65 to + 85 degrees Celsius) to make sure it has longevity through the years and through our ever changing weather. Easy to clean and very strong but light enough to move from area to area.

Colors:







new	Product	Code	EAN Code	Size [mm]	PCS/pallet
	Cavaletti block CUBE	2100586050	3831116157794	$400\times400\times400$	36





CAVALETTI BLOCK





CAVALETI BLOCK it's a high quality product made from polyethylene with options to put tubes barriers on each sides excellent for building cavaletties, training jumps, parallels, cross poles and ground lines. They are designed to use singly or stacked. Made from polyethylene, tested to extreme temperatures (-65 to + 85 degrees Celsius) to make sure it has longevity through the years and through our ever changing weather. Easy to clean and very strong but light enough to move from area to area.













CAVALETTI X

Product	Code	EAN Code	Size [mm]	PCS/pallet
Cavaletti block XX	2100586000	3830050776788	$610\times385\times230$	36
Cavaletti block X	2100586030	3831116127261	380 × 310 × 220	72








MOUNTING STEP







MOUNTING STEP it's a high quality product made from polyethylene and has a three steps. On the back is an integrated handle and a storage cabinet. Perfect for traveling to shows, camping or around the house or barn. The mounting block has a multipurpose function that allows the rider to use it as a jumping block, allowing the option of 6 available jump heights shown below. The jump poles can be placed in the shallow cups allowing the creation of a triple jump. It's extremely well made and can be kept outside in all weathers. It's UV stable, so it will not fade and look tatty over time, and comes in a range of colors.

Colors











- thanks to it's 11 height slots it can be used as a cavaletti block
- with rounded edges
- storage cabinet with waterproof cover
- on the stairs are ribs against the slipping



Product	Code	EAN Code	Size [mm]	PCS/pallet
Mounting step	2100586010	3831116112588	$800\times680\times600$	8
Mounting step with storage cabinet	2100586020	3831116112595	$800\times680\times600$	8
Mounting step with LED lights	2100586020	3831116112595	800 × 680 × 600	8







PLAY PRODUCTS






Colors:

SNACK BALL & HAY BALL is the perfect companion for conscientious owners as it encourages horses to mimic natural grazing behaviour, which is beneficial to their digestion. It also helps horses to stretch forwards and down, which may enhance their muscle tone and flexibility. A large opening, with secure cap, allows the hay to be easily inserted into the ball. A rope is built into the ball giving you the option hanging it in the stable. Products are made of strong, durable polyethylene. Resistant to UV and frost, shock – resistant and simple to clean.







HAY BALL



PONY GAME BIN


Product	Code	EAN Code	Size [mm]	PCS/pallet
Snack ball	2100512930	3830043917464	Ø300	64
Hay ball with cover	2906204060	3858883812015	Ø400	24
Hay ball with cover and rope	2100512870	3831116118955	Ø400	24
Pony game bin	2101228068	3831116152263	Ø430 × 600	35





SILO

The silo is intended to store food and is made of polyethylene. The material assures you the best characteristics for storing and provides long-term use. The inner side of the silo is covered with paraffin, which prevents material from sticking on the walls. Thick walls provide excellent thermal insulation and prevent accumulation of condensation. Contents of the silo remain dry, no matter if it is placed in the open. This is important to ensure excellent quality materials.



new	FeSilos	Code	EAN code	Size [mm]
	FESILO 11 m³ (one piece + metallic socle + opening)	2100063480	3831116150429	Ø2160 x 4675
	Safety ring for stairs	2100064080	3830050774067	-
	Filling pipe with flanged connection	2100064190	3830050774104	-





HAYRACK

HAYRACK In order to be able to feed the animals optimally, our hayracks are ideal, they are easy to handle, frost-proof, puncture- and break-proof.

- The hayrack is suitable for square bales and round bales with a diameter up to 190 cm. Depending on the model, there is room for up to 6 horses
 at the feeding place.
- Is open at the bottom and can easily be slipped over hay bales.
- Easy to clean. The food is protected and cannot be plucked or depressed by the animals
- Will not be eaten and is frost-proof, Nostrils and lips will not stick to the frost-resistant material, (PE-HD plastic) even in cold weather.



Product	Volume	Code	EAN code	Size [mm]
Hayrack	3000 L	21000063420	3830010983423	Ø2000 × 1000





WATER TANK

Rotrans water tanks are made of polyethylene and are therefore suitable for storing water. They are ideal chose for above-ground storage and transport of liquids.

- threaded cover DN400, PE
- there are holes on the upper part for tying and tensioning the belt for safer transport
- below at the bottom is a flat surface on which you can mount a tap or drinking bow
- form: round with leg supports
- easier transport with a forklift



2000 L with drinking bowl







Product	Code	EAN Code	Size [mm]
RoTrans 300 L	7100527200	3831116123386	1220 x 590 x 660
RoTrans 500 L	7100527210	3831116123393	1440 x 680 x 820
RoTrans 1000 L	7100527220	3831116123409	1730 x 870 x 1010
RoTrans 1500 L	7100527230	3831116123416	1610 x 1180 x 1310
RoTrans 2000 L	7100527240	3831116123423	1720 x 1250 x 1400
RoTrans 3000 L	7100527250	3831116123430	2030 x 1430 x 1600
RoTrans 5000 L	7100527260	3831116123447	2150 x 1840 x 1960





MANGER, FEEDER

ROTO FEEDERS for horses are made of durable polyethylene material. Cornered tubs are very convenient, because take up a little space in corner. All fedeers and tubs are simple to clean and stabilized against UV rays and frost.



Product	Code	EAN Code	Size [mm]	PCS/pallet	
Manger with 2 hooks	2100065350	3830010981603	$380\times320\times360$	19	
Wall manger 33 L	2100065360	3830010981610	$490\times370\times300$	38	
Corner manger	2100078000	3830010989654	600 × 410 × 240	24	
Basket 30 L	2100064840	3830010980101	Ø450 × 300	68	
Basket 40 L	2100064850	3830010981979	Ø530 × 510	18	
Feeder S	2100065000	3830010982273	470 × 440 × 180	19	
Feeder M	2100065200	3830010982280	680 × 440 × 180	30	
Feeder L	2100065210	3830010982297	1000 × 440 × 180	34	







Roto, an international company based in Murska Sobota, specialises in the production of plastic mass. The roots of the family-run business go back to 1949. ROTO employs more than 550 people in 8 factories located in 4 countries.

Roto generated revenues of €100 million in 2022, selling products in 65 countries around the world.

Roto is Europe's leading rotomoulding company, producing more than 4,000 different products. The company's development is ensured by continuous innovation, new technologies and materials that ROTO develops with scientific institutes, universities and other companies.

The Roto-branded product groups are divided into four segments: products for agriculture, garden, sport and ecology. The use of composites and biodegradable and recycled polymers enables the production of the most complex products on the market.

Roto also manufactures a wide range of readymade products for various industries such as automotive, marine, construction and agricultural machinery, aquaculture and logistics. Added value comes from innovative design, the use of intelligent polymers and composites, and state-of-theart manufacturing.



